
Pykube
Release 20.10.0

Oct 11, 2020

Contents

1 Installation	3
2 Usage	5
3 Documentation	7
3.1 How Tos	7
3.2 API Modules	11
3.3 pykube-ng	23
3.4 Changelog	27
3.5 Users	29
4 Indices and tables	31
Python Module Index	33
Index	35

Pykube (pykube-ng) is a lightweight Python 3+ client library for Kubernetes.

CHAPTER 1

Installation

To install pykube, use pip:

```
pip install pykube-ng
```


CHAPTER 2

Usage

Query for all ready pods in a custom namespace:

```
import operator
import pykube

api = pykube.HTTPClient(pykube.KubeConfig.from_file())
pods = pykube.Pod.objects(api).filter(namespace="gondor-system")
ready_pods = filter(operator.attrgetter("ready"), pods)
```


CHAPTER 3

Documentation

3.1 How Tos

3.1.1 How to access a Service

To access the service defined with your `Service` object, you can use the HTTP proxy provided by the API server. There are convenience methods to do GET, POST, PUT and DELETE and the generic `proxy_http_request` version, where you can pass any HTTP verb.

```
service = pykube.Service.objects(api).filter(namespace="default").get(name="test")
res = service.proxy_http_get("my/path")
assert res is not None
assert res.content == b"it works"
assert res.status_code == 200
```

3.1.2 How to find Pods by label

This section explains how to find Kubernetes pods by a set of known labels.

Calling `objects` on the `Pod` class returns a `Query` object which provides the `filter` method. The selector parameter can take a dictionary of label names and values to filter by:

```
for pod in Pod.objects(api).filter(namespace=pykube.all, selector={'app': 'myapp'}):
    print(pod.namespace, pod.name)
```

Note that the special value of `pykube.all` needs to be passed, otherwise it would only return pods in the current namespace (i.e. usually “`default`”).

3.1.3 How to print container logs

To print the most recent logs for multiple pods and containers, you can use the `timestamps` parameter and sort log lines afterwards. Note that this will not work correctly if your container logs contain newlines!

```
tail_lines = 100

logs = []

for pod in pods:
    for container in pod.obj["spec"]["containers"]:
        container_log = pod.logs(
            container=container["name"],
            timestamps=True,
            tail_lines=tail_lines,
        )
        for line in container_log.split("\n"):
            logs.append(line)

logs.sort()

for log in logs:
    print(log)
```

3.1.4 How to update a Deployment image

To update the Docker image for an existing deployment:

```
from pykube import Deployment, HTTPClient, KubeConfig

new_docker_image = "hjacobs/kube-web-view"

api = HTTPClient(KubeConfig.from_file())
deploy = Deployment.objects(api).get(name="mydeploy")
deploy.obj["spec"]["template"]["spec"]["containers"][0]["image"] = new_docker_image
deploy.update()
```

Note that the call to `deploy.update()` might fail if the resource was modified between loading and updating. In this case you need to retry.

3.1.5 How to use the Interactive Console

Pykube can be started as an interactive Python console:

```
python3 -m pykube
```

The interactive console automatically loads the Kubernetes configuration from the default location (`~/ kube/config`) and provides the objects `api` and `config`:

```
>>> api
<pykube.http.HTTPClient object at 0x7f2112263160>

>>> config
<pykube.config.KubeConfig object at 0x7f6631bbc2e8>
```

All standard classes from pykube-package are automatically imported, so you can use them, e.g.:

```
>>> for deploy in Deployment.objects(api):
...     print(f'{deploy.name}: {deploy.replicas}')
```

You can also pass a Python command via the `-c` option for non-interactive usage:

```
python3 -m pykube -c 'print(config.current_context, api.version)'
```

3.1.6 How to write an Operator

Pykube can be used to implement Kubernetes Operators. Here is how to write a very simple operator which adds a label `foo` with value `bar` to every deployment object which has the `pykube-test-operator` annotation:

```
# simplified example script, no error handling!
import pykube, time

while True:
    # loads in-cluster auth or local ~/.kube/config for testing
    config = pykube.KubeConfig.from_env()
    api = pykube.HTTPClient(config)
    for deploy in pykube.Deployment.objects(api, namespace=pykube.all):
        if 'pykube-test-operator' in deploy.annotations:
            print(f'Updating deployment {deploy.namespace}/{deploy.name}...')
            deploy.labels['foo'] = 'bar'
            deploy.update()
    time.sleep(15)
```

Save the above Python script as `main.py`.

Testing

You can now test the script locally with `Pipenv` and `Minikube` (run `minikube start` first):

```
pipenv install pykube-ng
pipenv run python3 main.py
```

See the operator in action by creating a deployment with the right annotation:

```
kubectl run nginx --image=nginx
kubectl annotate deploy nginx pykube-test-operator=true
```

The operator should now assign the `foo` label to the `nginx` deployment.

Building the Docker image

Create a `Dockerfile` in the same directory as `main.py`:

```
FROM python:3.7-alpine3.10
WORKDIR /
RUN pip3 install pykube-ng
```

(continues on next page)

(continued from previous page)

```
COPY main.py /  
  
ENTRYPOINT ["python3", "main.py"]
```

Now build it:

```
docker build -t pykube-test-operator .
```

You need to push the Docker image to some Docker registry before you can deploy it.

Deployment

Now deploy the Docker image to your Kubernetes cluster using a service account with the necessary permissions (in this case to list and update deployments). To create such an service account with the necessary RBAC rights create rbac.yaml with these contents:

```
apiVersion: v1  
kind: ServiceAccount  
metadata:  
  name: pykube-test-operator  
---  
apiVersion: rbac.authorization.k8s.io/v1  
kind: ClusterRole  
metadata:  
  name: pykube-test-operator  
rules:  
- apiGroups:  
  - apps  
  resources:  
  - deployments  
  verbs:  
  - get  
  - watch  
  - list  
  - update  
  - patch  
---  
apiVersion: rbac.authorization.k8s.io/v1  
kind: ClusterRoleBinding  
metadata:  
  name: pykube-test-operator  
roleRef:  
  apiGroup: rbac.authorization.k8s.io  
  kind: ClusterRole  
  name: pykube-test-operator  
subjects:  
- kind: ServiceAccount  
  name: pykube-test-operator  
  namespace: default
```

Apply the RBAC role via kubectl apply -f rbac.yaml.

Finally, the deployment of the operator would then look like (deployment.yaml):

```
apiVersion: apps/v1  
kind: Deployment
```

(continues on next page)

(continued from previous page)

```

metadata:
  name: pykube-test-operator
spec:
  replicas: 1
  selector:
    matchLabels:
      app: pykube-test-operator
  template:
    metadata:
      labels:
        app: pykube-test-operator
    spec:
      serviceAccountName: pykube-test-operator
      containers:
        - name: operator
          # this image needs have been pushed to some Docker registry!
          image: pykube-test-operator
          resources:
            limits:
              memory: 50Mi
            requests:
              cpu: 5m
              memory: 50Mi
          securityContext:
            readOnlyRootFilesystem: true
            runAsNonRoot: true
            runAsUser: 1000

```

Create the deployment via `kubectl apply -f deployment.yaml`.

You should now have a working operator deployment in your cluster.

3.2 API Modules

Pykube exports its main classes on the package level, so you can do:

```
from pykube import KubeConfig, HTTPClient, Pod
```

- `KubeConfig` is the main configuration class to load `~/.kube/config` or from in-cluster service account
- `HTTPClient` represents the Kubernetes API client
- Kubernetes resource kinds (`Pod`, etc) are defined in `pykube.objects`

3.2.1 pykube package

Submodules

`pykube.config` module

Configuration code.

```
class pykube.config.BytesOrFile (filename=None, data=None, kubeconfig_path=None)
Bases: object
```

Implements the same interface for files and byte input.

bytes()

Returns the provided data as bytes.

filename()

Returns the provided data as a file location.

classmethod maybe_set(d, key, kubeconfig_path)

class pykube.config.KubeConfig(*doc, current_context=None*)

Bases: object

Main configuration class.

cluster

Returns the current selected cluster by exposing as a read-only property.

clusters

Returns known clusters by exposing as a read-only property.

contexts

Returns known contexts by exposing as a read-only property.

current_context

filepath = None

classmethod from_env()

Convenience function to create an instance of KubeConfig from the current environment.

First tries to use in-cluster ServiceAccount, then tries default `~/.kube/config` (or `KUBECONFIG`)

classmethod from_file(filename=None, **kwargs)

Creates an instance of the KubeConfig class from a kubeconfig file.

Parameters `filename` – The full path to the configuration file. Defaults to `~/.kube/config`

classmethod from_service_account(path='/var/run/secrets/kubernetes.io/serviceaccount', **kwargs)

Construct KubeConfig from in-cluster service account.

classmethod from_url(url, **kwargs)

Creates an instance of the KubeConfig class from a single URL (useful for interacting with kubectl proxy).

kubeconfig_file

Returns the path to kubeconfig file as string, if it exists

kubeconfig_path

Returns the path to kubeconfig file, if it exists

namespace

Returns the current context namespace by exposing as a read-only property.

persist_doc()

reload()

set_current_context(value)

Sets the context to the provided value.

Parameters

- `value`: The value for the current context

user

Returns the current user set by current context

users

Returns known users by exposing as a read-only property.

pykube.console module

`pykube.console.main(argv=None)`

Run the interactive Pykube console (usually invoked via `python3 -m pykube`)

pykube.exceptions module

Exceptions.

exception `pykube.exceptions.HTTPError(code, message)`

Bases: `pykube.exceptions.PyKubeError`

exception `pykube.exceptions.KubernetesError`

Bases: `Exception`

Base exception for all Kubernetes errors.

exception `pykube.exceptions.ObjectDoesNotExist`

Bases: `pykube.exceptions.PyKubeError`

exception `pykube.exceptions.PyKubeError`

Bases: `pykube.exceptions.KubernetesError`

PyKube specific errors.

pykube.http module

HTTP request related code.

class `pykube.http.HTTPClient(config: pykube.config.KubeConfig, timeout: float = 10, dry_run: bool = False, verify: bool = True, http_adapter: Optional[requests.adapters.HTTPAdapter] = None)`

Bases: `object`

Client for interfacing with the Kubernetes API.

delete (*args, **kwargs)

Executes an HTTP DELETE.

Parameters

- `args`: Non-keyword arguments
- `kwargs`: Keyword arguments

get (*args, **kwargs)

Executes an HTTP GET.

Parameters

- `args`: Non-keyword arguments
- `kwargs`: Keyword arguments

get_kwargs (**kwargs) → dict

Creates a full URL to request based on arguments.

Parametes

- *kwargs*: All keyword arguments to build a kubernetes API endpoint

head(*args, **kwargs)

Executes an HTTP HEAD.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

http_adapter_cls

alias of [KubernetesHTTPAdapter](#)

options(*args, **kwargs)

Executes an HTTP OPTIONS.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

patch(*args, **kwargs)

Executes an HTTP PATCH.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

post(*args, **kwargs)

Executes an HTTP POST.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

put(*args, **kwargs)

Executes an HTTP PUT.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

raise_for_status(*resp*)

request(*args, **kwargs)

Makes an API request based on arguments.

Parameters

- *args*: Non-keyword arguments
- *kwargs*: Keyword arguments

resource_list(*api_version*)

url

version

Get Kubernetes API version

```
class pykube.http.KubernetesHTTPAdapter(kube_config:  
                                         **kwargs)
```

Bases: requests.adapters.HTTPAdapter

send(request, **kwargs)

Sends PreparedRequest object. Returns Response object.

Parameters

- **request** – The PreparedRequest being sent.
- **stream** – (optional) Whether to stream the request content.
- **timeout** (*float or tuple or urllib3 Timeout object*) – (optional) How long to wait for the server to send data before giving up, as a float, or a (connect timeout, read timeout) tuple.
- **verify** – (optional) Either a boolean, in which case it controls whether we verify the server's TLS certificate, or a string, in which case it must be a path to a CA bundle to use.
- **cert** – (optional) Any user-provided SSL certificate to be trusted.
- **proxies** – (optional) The proxies dictionary to apply to the request.

Return type requests.Response

pykube.mixins module

```
class pykube.mixins.ReplicatedMixin
```

Bases: object

replicas

scalable_attr = 'replicas'

```
class pykube.mixins.ScalableMixin
```

Bases: object

scalable

scale(replicas=None)

pykube.objects module

```
class pykube.objects.APIObject(api: pykube.http.HTTPClient, obj: dict)
```

Bases: object

Baseclass for all Kubernetes API objects

annotations

Annotations of the Kubernetes resource (metadata.annotations)

Annotations is an unstructured key value map stored with a resource that may be set by external tools to store and retrieve arbitrary metadata. They are not queryable and should be preserved when modifying objects. More info: <http://kubernetes.io/docs/user-guide/annotations>

api_kwargs(**kwargs)

base = None

create()

```
delete(propagation_policy: str = None)
Delete the Kubernetes resource by calling the API.

The parameter propagation_policy defines whether to cascade the delete. It can be “Foreground”, “Background” or “Orphan”. See https://kubernetes.io/docs/concepts/workloads/controllers/garbage-collection/#setting-the-cascading-deletion-policy

exists(ensure=False)

labels
Labels of the Kubernetes resource (metadata.labels)

Map of string keys and values that can be used to organize and categorize (scope and select) objects. May match selectors of replication controllers and services. More info: http://kubernetes.io/docs/user-guide/labels

metadata

name
Name of the Kubernetes resource (metadata.name)

Name must be unique within a namespace. Is required when creating resources, although some resources may allow a client to request the generation of an appropriate name automatically. Name is primarily intended for creation idempotence and configuration definition. Cannot be updated. More info: http://kubernetes.io/docs/user-guide/identifiers#names

namespace

objects

patch(strategic_merge_patch, *, subresource=None)
Patch the Kubernetes resource by calling the API with a “strategic merge” patch.

reload()

set_obj(obj: dict)

update(is_strategic=True, *, subresource=None)
Update the Kubernetes resource by calling the API (patch)

watch()

class pykube.objects.ClusterRole(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.APIObject
  endpoint = 'clusterroles'
  kind = 'ClusterRole'
  version = 'rbac.authorization.k8s.io/v1'

class pykube.objects.ClusterRoleBinding(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.APIObject
  endpoint = 'clusterrolebindings'
  kind = 'ClusterRoleBinding'
  version = 'rbac.authorization.k8s.io/v1'

class pykube.objects.ConfigMap(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject
  endpoint = 'configmaps'
  kind = 'ConfigMap'
```

```

version = 'v1'

class pykube.objects.CronJob(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'cronjobs'
    kind = 'CronJob'
    version = 'batch/v1beta1'

class pykube.objects.CustomResourceDefinition(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject

    endpoint = 'customresourcedefinitions'
    kind = 'CustomResourceDefinition'
    version = 'apiextensions.k8s.io/v1'

class pykube.objects.DaemonSet(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'daemonsets'
    kind = 'DaemonSet'
    version = 'apps/v1'

class pykube.objects.Deployment(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject, pykube.mixins.ReplicatedMixin,
            pykube.mixins.ScalableMixin

    endpoint = 'deployments'
    kind = 'Deployment'
    ready
    rollout_undo (target_revision=None)
        Produces same action as kubectl rollout undo deployment command. Input variable is revision to rollback
        to (in kubectl, -to-revision)
    version = 'apps/v1'

class pykube.objects.Endpoint(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'endpoints'
    kind = 'Endpoint'
    version = 'v1'

class pykube.objects.Event(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'events'
    kind = 'Event'
    version = 'v1'

class pykube.objects.HorizontalPodAutoscaler(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'horizontalpodautoscalers'

```

```
kind = 'HorizontalPodAutoscaler'
version = 'autoscaling/v1'

class pykube.objects.Ingress(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject
    endpoint = 'ingresses'
    kind = 'Ingress'
    version = 'networking.k8s.io/v1beta1'

class pykube.objects.Job(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject, pykube.mixins.ScalableMixin
    endpoint = 'jobs'
    kind = 'Job'
    parallelism
    scalable_attr = 'parallelism'
    version = 'batch/v1'

class pykube.objects.LimitRange(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject
    endpoint = 'limitranges'
    kind = 'LimitRange'
    version = 'v1'

class pykube.objects.Namespace(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject
    endpoint = 'namespaces'
    kind = 'Namespace'
    version = 'v1'

class pykube.objects.NamespacedAPIObject(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject

    namespace
        Namespace scope of the Kubernetes resource (metadata.namespace)

        Namespace defines the space within each name must be unique. Cannot be updated. More info: http://kubernetes.io/docs/user-guide/namespaces

class pykube.objects.Node(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject
    cordon()
    endpoint = 'nodes'
    kind = 'Node'
    uncordon()
    unschedulable
    version = 'v1'
```

```

class pykube.objects.ObjectManager
    Bases: object

class pykube.objects.PersistentVolume(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject
        endpoint = 'persistentvolumes'
        kind = 'PersistentVolume'
        version = 'v1'

class pykube.objects.PersistentVolumeClaim(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject
        endpoint = 'persistentvolumeclaims'
        kind = 'PersistentVolumeClaim'
        version = 'v1'

class pykube.objects.Pod(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject
        endpoint = 'pods'
        kind = 'Pod'

        logs(container=None, pretty=None, previous=False, since_seconds=None, since_time=None, times-tamps=False, tail_lines=None, limit_bytes=None)
            Produces the same result as calling kubectl logs pod/<pod-name>. Check parameters meaning at http://kubernetes.io/docs/api-reference/v1/operations/, part ‘read log of the specified Pod’. The result is plain text.

        ready

        version = 'v1'

class pykube.objects.PodDisruptionBudget(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject
        endpoint = 'poddisruptionbudgets'
        kind = 'PodDisruptionBudget'
        version = 'policy/v1beta1'

class pykube.objects.PodSecurityPolicy(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.APIObject
        endpoint = 'podsecuritypolicies'
        kind = 'PodSecurityPolicy'
        version = 'policy/v1beta1'

class pykube.objects.ReplicaSet(api: pykube.http.HTTPClient, obj: dict)
    Bases: pykube.objects.NamespacedAPIObject, pykube.mixins.ReplicatedMixin, pykube.mixins.ScalableMixin
        endpoint = 'replicasets'
        kind = 'ReplicaSet'
        version = 'apps/v1'

```

```
class pykube.objects.ReplicationController(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject, pykube.mixins.ReplicatedMixin,
pykube.mixins.ScalableMixin

    endpoint = 'replicationcontrollers'
    kind = 'ReplicationController'
    ready
    version = 'v1'

class pykube.objects.ResourceQuota(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'resourcequotas'
    kind = 'ResourceQuota'
    version = 'v1'

class pykube.objects.Role(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'roles'
    kind = 'Role'
    version = 'rbac.authorization.k8s.io/v1'

class pykube.objects.RoleBinding(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'rolebindings'
    kind = 'RoleBinding'
    version = 'rbac.authorization.k8s.io/v1'

class pykube.objects.Secret(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'secrets'
    kind = 'Secret'
    version = 'v1'

class pykube.objects.Service(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject

    endpoint = 'services'
    kind = 'Service'
    proxy_http_delete(path: str, port: Optional[int] = None, **kwargs) → requests.models.Response
        Issue a HTTP DELETE request to proxy of a Service. Args: :rtype: Response :type path: str
            param path The URI path for the request.
            param port This value can be used to override the
                default (first defined) port used to connect to the Service. :param kwargs: Keyword arguments
                for the proxy_http_get function. They are the same as for requests.models.Request object plus
                the additional 'port' kwarg, which can be used to override the default (first defined) port used to
                connect to the Service.
```

Returns: The requests.Response object.

proxy_http_get (*path*: str, *port*: Optional[int] = None, ***kwargs*) → requests.models.Response

Issue a HTTP GET request to proxy of a Service. Args: :rtype: Response :type path: str

param path The URI path for the request.

param port This value can be used to override the

default (first defined) port used to connect to the Service. :param kwargs: Keyword arguments for the proxy_http_get function. They are the same as for requests.models.Request object plus the additional ‘port’ kwarg, which can be used to override the default (first defined) port used to connect to the Service.

Returns: The requests.Response object.

proxy_http_post (*path*: str, *port*: Optional[int] = None, ***kwargs*) → requests.models.Response

Issue a HTTP POST request to proxy of a Service. Args: :rtype: Response :type path: str

param path The URI path for the request.

param port This value can be used to override the

default (first defined) port used to connect to the Service. :param kwargs: Keyword arguments for the proxy_http_get function. They are the same as for requests.models.Request object plus the additional ‘port’ kwarg, which can be used to override the default (first defined) port used to connect to the Service.

Returns: The requests.Response object.

proxy_http_put (*path*: str, *port*: Optional[int] = None, ***kwargs*) → requests.models.Response

Issue a HTTP PUT request to proxy of a Service. Args: :rtype: Response :type path: str

param path The URI path for the request.

param port This value can be used to override the

default (first defined) port used to connect to the Service. :param kwargs: Keyword arguments for the proxy_http_get function. They are the same as for requests.models.Request object plus the additional ‘port’ kwarg, which can be used to override the default (first defined) port used to connect to the Service.

Returns: The requests.Response object.

proxy_http_request (*method*: str, *path*: str, *port*: Optional[int] = None, ***kwargs*) → requests.models.Response

Issue a HTTP request with specific HTTP method to proxy of a Service. Args: :rtype: Response :type path: str :type method: str

param method The http request method e.g. ‘GET’, ‘POST’ etc.

param path The URI path for the request.

param port This value can be used to override the

default (first defined) port used to connect to the Service. :param kwargs: Keyword arguments for the proxy_http_get function. They are the same as for requests.models.Request object.

Returns: The requests.Response object.

version = 'v1'

```
class pykube.objects.ServiceAccount(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject
    endpoint = 'serviceaccounts'
    kind = 'ServiceAccount'
    version = 'v1'

class pykube.objects.StatefulSet(api: pykube.http.HTTPClient, obj: dict)
Bases: pykube.objects.NamespacedAPIObject, pykube.mixins.ReplicatedMixin,
pykube.mixins.ScalableMixin
    endpoint = 'statefulsets'
    kind = 'StatefulSet'
    version = 'apps/v1'

pykube.objects.object_factory(api, api_version, kind) → Type[pykube.objects.APIObject]
Dynamically builds a Python class for the given Kubernetes object in an API.
```

For example:

```
api = pykube.HTTPClient(...) NetworkPolicy = pykube.object_factory(api, "networking.k8s.io/v1",
"NetworkPolicy")
```

This enables construction of any Kubernetes object kind without explicit support from pykube.

Currently, the HTTPClient passed to this function will not be bound to the returned type. It is planned to fix this, but in the mean time pass it as you would normally.

pykube.query module

```
class pykube.query.BaseQuery(api: pykube.http.HTTPClient, api_obj_class, namespace: str =
None)
Bases: object
    all() → pykube.query.BaseQuery
    filter(namespace: str = None, selector: Union[str, dict] = None, field_selector: Union[str, dict] =
None) → pykube.query.BaseQuery
        Filter objects by namespace, labels, or fields
```

Parameters

- **namespace** (str) – Namespace to filter by (pass pykube.all to get objects in all namespaces)
- **selector** – Label selector, can be a dictionary of label names/values

```
class pykube.query.Query(api: pykube.http.HTTPClient, api_obj_class, namespace: str = None)
Bases: pykube.query.BaseQuery
    as_table() → pykube.query.Table
        Execute query and return result as Table (similar to what kubectl does) See https://kubernetes.io/docs/reference/using-api/api-concepts/#receiving-resources-as-tables
    execute(**kwargs)
    get(*args, **kwargs)
        Get a single object by name, namespace, label, ..
    get_by_name(name: str)
        Get object by name, raises ObjectDoesNotExist if not found
```

```
get_or_none (*args, **kwargs)
    Get object by name, return None if not found

iterator()
    Execute the API request and return an iterator over the objects. This method does not use the query cache.

query_cache

response

watch (since=None, *, params=None)

class pykube.query.Table (api_obj_class, obj: dict)
Bases: object

Tabular resource representation See https://kubernetes.io/docs/reference/using-api/api-concepts/#receiving-resources-as-tables

columns

rows

class pykube.query.WatchQuery (*args, **kwargs)
Bases: pykube.query.BaseQuery

object_stream()

response

pykube.query.as_selector (value: Union[str, dict]) → str
```

pykube.utils module

```
pykube.utils.join_url_path (*components, join_empty: bool = False) → str
    Join given URL path components and return absolute path starting with '/'.

pykube.utils.jsonpath_parse (template, obj)

pykube.utils.obj_check (obj_value, original_obj_value, is_strategic=True)

pykube.utils.obj_merge (obj, original_obj, is_strategic=True)
```

Module contents

Python client for Kubernetes

3.3 pykube-ng

Pykube (pykube-ng) is a lightweight Python 3.6+ client library for Kubernetes.

This is a fork of [kelproject/pykube](#) which is no longer maintained (archived). Here the original text of the pykube README:

Kel is an open source Platform as a Service (PaaS) from Eldarion, Inc. that makes it easy to manage web application deployment and hosting through the entire lifecycle from development through testing to production. It adds components and tools on top of Kubernetes that help developers manage their application infrastructure. Kel builds on Eldarion's 7+ years experience running one of the leading Python and Django PaaSes. For more information about Kel, see [kelproject.com](#) or follow us on Twitter @projectkel.

3.3.1 Features

- HTTP interface using requests using kubeconfig for authentication
- Python native querying of Kubernetes API objects

3.3.2 Installation

To install pykube, use pip:

```
pip install pykube-ng
```

3.3.3 Interactive Console

The pykube library module can be run as an interactive console locally for quick exploration. It will automatically load `~/.kube/config` to provide the `api` object, and it loads pykube classes (`Deployment`, `Pod`, ..) into local context:

```
python3 -m pykube
>>> [d.name for d in Deployment.objects(api)]
```

3.3.4 Usage

Query for all ready pods in a custom namespace:

```
import operator
import pykube

api = pykube.HTTPClient(pykube.KubeConfig.from_file())
pods = pykube.Pod.objects(api).filter(namespace="gondor-system")
ready_pods = filter(operator.attrgetter("ready"), pods)
```

Access any attribute of the Kubernetes object:

```
pod = pykube.Pod.objects(api).filter(namespace="gondor-system").get(name="my-pod")
pod.obj["spec"]["containers"][0]["image"]
```

Selector query:

```

pods = pykube.Pod.objects(api).filter(
    namespace="gondor-system",
    selector={"gondor.io/name__in": {"api-web", "api-worker"}},
)
pending_pods = pykube.objects.Pod.objects(api).filter(
    field_selector={"status.phase": "Pending"}
)

```

Watch query:

```

watch = pykube.Job.objects(api, namespace="gondor-system")
watch = watch.filter(field_selector={"metadata.name": "my-job"}).watch()

# watch is a generator:
for watch_event in watch:
    print(watch_event.type) # 'ADDED', 'DELETED', 'MODIFIED'
    print(watch_event.object) # pykube.Job object

```

Create a Deployment:

```

obj = {
    "apiVersion": "apps/v1",
    "kind": "Deployment",
    "metadata": {
        "name": "my-deploy",
        "namespace": "gondor-system"
    },
    "spec": {
        "replicas": 3,
        "selector": {
            "matchLabels": {
                "app": "nginx"
            }
        },
        "template": {
            "metadata": {
                "labels": {
                    "app": "nginx"
                }
            },
            "spec": {
                "containers": [
                    {
                        "name": "nginx",
                        "image": "nginx",
                        "ports": [
                            {"containerPort": 80}
                        ]
                    }
                ]
            }
        }
    }
}
pykube.Deployment(api, obj).create()

```

Delete a Deployment:

```
obj = {
    "apiVersion": "apps/v1",
    "kind": "Deployment",
    "metadata": {
        "name": "my-deploy",
        "namespace": "gondor-system"
    }
}
pykube.Deployment(api, obj).delete()
```

Check server version:

```
api = pykube.HTTPClient(pykube.KubeConfig.from_file())
api.version
```

3.3.5 Requirements

- Python 3.6+
- requests (included in `install_requires`)
- PyYAML (included in `install_requires`)

3.3.6 Local Development

You can run pykube against your current kubeconfig context, e.g. local Minikube:

```
poetry install
poetry run python3
>>> import pykube
>>> config = pykube.KubeConfig.from_file()
>>> api = pykube.HTTPClient(config)
>>> list(pykube.Deployment.objects(api))
```

To run PEP8 (flake8) checks and unit tests including coverage report:

```
make test
```

3.3.7 License

The code in this project is licensed under the Apache License, version 2.0 (included in this repository under LICENSE).

3.3.8 Contributing

Easiest way to contribute is to provide feedback! We would love to hear what you like and what you think is missing. Create an issue or [ping try_except_](#) on Twitter.

PRs are welcome. Please also have a look at issues labeled with “help wanted”.

3.3.9 Code of Conduct

In order to foster a kind, inclusive, and harassment-free community, this project follows the [Contributor Covenant Code of Conduct](#).

3.4 Changelog

3.4.1 19.10.0

- use both `token` and `client-certificate` from Kubeconfig if defined (to support Azure Kubernetes)

3.4.2 19.9.2

- add `dry_run` option to `HTTPClient` to only make `dry run` requests

3.4.3 19.9.1

- support “oidc” auth type in `KubeConfig` (basic support with existing “id-token”)

3.4.4 19.9.0

- changed to [Calendar Versioning](#)
- add convenience function `KubeConfig.from_env()` to load `KubeConfig` from in-cluster ServiceAccount or local `KUBECONFIG`

3.4.5 0.30

- allow passing a custom `Authorization` header with `HTTPClient.get(..., headers=..)` without getting overwritten

3.4.6 0.28

- support tabular representation like what `kubectl` uses (`Query.as_table()` method)

3.4.7 0.27

- allow passing arbitrary parameters to the `watch` query

3.4.8 0.26

- remember streaming response
- exclude “tests” from packaging

3.4.9 0.25

- add CustomResourceDefinition to top-level imports (allowing from pykube import CustomResourceDefinition)

3.4.10 0.24

- add CustomResourceDefinition class
- add patch method to APIObject class
- improve user-friendliness of object_factory

3.4.11 0.23

- remove debug print statement

3.4.12 0.22

- fix GCP support

3.4.13 0.21

- add optional propagation_policy parameter to APIObject.delete(), see <https://pykube.readthedocs.io/en/latest/api/pykube.html#pykube.objects.APIObject.delete>

3.4.14 0.20

- Fix handling of annotations and labels if the object had none set before

3.4.15 0.19

- Added interactive console (invoke with python3 -m pykube)

3.4.16 0.18

- Added PodDisruptionBudget
- Added HTTP timeout (default: 10 seconds)

3.4.17 0.17

- New release as pykube-ng
- Removed Python 2.7 compatibility
- Removed HTTPPie plugin
- Added some tests

3.5 Users

The following projects use Pykube:

- [kube-downscaler](#)
- [kube-janitor](#)
- [kube-ops-view](#)
- [kube-resource-report](#)
- [kube-web-view](#)
- [pytest-kind](#)

Do you know of a project using Pykube and it's not listed here? Please [open a PR](#) to add it to the list.

CHAPTER 4

Indices and tables

- genindex
- modindex
- search

Python Module Index

p

pykube, 23
pykube.config, 11
pykube.console, 13
pykube.exceptions, 13
pykube.http, 13
pykube.mixins, 15
pykube.objects, 15
pykube.query, 22
pykube.utils, 23

A

all() (*pykube.query.BaseQuery method*), 22
annotations (*pykube.objects.APIObject attribute*), 15
api_kwargs() (*pykube.objects.APIObject method*), 15
APIObject (*class in pykube.objects*), 15
as_selector() (*in module pykube.query*), 23
as_table() (*pykube.query.Query method*), 22

B

base (*pykube.objects.APIObject attribute*), 15
BaseQuery (*class in pykube.query*), 22
bytes() (*pykube.config.BytesOrFile method*), 12
BytesOrFile (*class in pykube.config*), 11

C

cluster (*pykube.config.KubeConfig attribute*), 12
ClusterRole (*class in pykube.objects*), 16
ClusterRoleBinding (*class in pykube.objects*), 16
clusters (*pykube.config.KubeConfig attribute*), 12
columns (*pykube.query.Table attribute*), 23
ConfigMap (*class in pykube.objects*), 16
contexts (*pykube.config.KubeConfig attribute*), 12
cordoned() (*pykube.objects.Node method*), 18
create() (*pykube.objects.APIObject method*), 15
CronJob (*class in pykube.objects*), 17
current_context (*pykube.config.KubeConfig attribute*), 12
CustomResourceDefinition (*class in pykube.objects*), 17

D

DaemonSet (*class in pykube.objects*), 17
delete() (*pykube.http.HTTPClient method*), 13
delete() (*pykube.objects.APIObject method*), 15
Deployment (*class in pykube.objects*), 17

E

Endpoint (*class in pykube.objects*), 17

endpoint (*pykube.objects.ClusterRole attribute*), 16
endpoint (*pykube.objects.ClusterRoleBinding attribute*), 16
endpoint (*pykube.objects.ConfigMap attribute*), 16
endpoint (*pykube.objects.CronJob attribute*), 17
endpoint (*pykube.objects.CustomResourceDefinition attribute*), 17
endpoint (*pykube.objects.DaemonSet attribute*), 17
endpoint (*pykube.objects.Deployment attribute*), 17
endpoint (*pykube.objects.Endpoint attribute*), 17
endpoint (*pykube.objects.Event attribute*), 17
endpoint (*pykube.objects.HorizontalPodAutoscaler attribute*), 17
endpoint (*pykube.objects.Ingress attribute*), 18
endpoint (*pykube.objects.Job attribute*), 18
endpoint (*pykube.objects.LimitRange attribute*), 18
endpoint (*pykube.objects.Namespace attribute*), 18
endpoint (*pykube.objects.Node attribute*), 18
endpoint (*pykube.objects.PersistentVolume attribute*), 19
endpoint (*pykube.objects.PersistentVolumeClaim attribute*), 19
endpoint (*pykube.objects.Pod attribute*), 19
endpoint (*pykube.objects.PodDisruptionBudget attribute*), 19
endpoint (*pykube.objects.PodSecurityPolicy attribute*), 19
endpoint (*pykube.objects.ReplicaSet attribute*), 19
endpoint (*pykube.objects.ReplicationController attribute*), 20
endpoint (*pykube.objects.ResourceQuota attribute*), 20
endpoint (*pykube.objects.Role attribute*), 20
endpoint (*pykube.objects.RoleBinding attribute*), 20
endpoint (*pykube.objects.Secret attribute*), 20
endpoint (*pykube.objects.Service attribute*), 20
endpoint (*pykube.objects.ServiceAccount attribute*), 22
endpoint (*pykube.objects.StatefulSet attribute*), 22
Event (*class in pykube.objects*), 17

execute() (*pykube.query.Query method*), 22
exists() (*pykube.objects.APIObject method*), 16

F

filename() (*pykube.config.BytesOrFile method*), 12
filepath (*pykube.config.KubeConfig attribute*), 12
filter() (*pykube.query.BaseQuery method*), 22
from_env() (*pykube.config.KubeConfig class method*), 12
from_file() (*pykube.config.KubeConfig class method*), 12
from_service_account() (*pykube.config.KubeConfig class method*), 12
from_url() (*pykube.config.KubeConfig class method*), 12

G

get() (*pykube.http.HTTPClient method*), 13
get() (*pykube.query.Query method*), 22
get_by_name() (*pykube.query.Query method*), 22
get_kwargs() (*pykube.http.HTTPClient method*), 13
get_or_none() (*pykube.query.Query method*), 23

H

head() (*pykube.http.HTTPClient method*), 14
HorizontalPodAutoscaler (*class in pykube.objects*), 17
http_adapter_cls (*pykube.http.HTTPClient attribute*), 14
HTTPClient (*class in pykube.http*), 13
HTTPError, 13

I

Ingress (*class in pykube.objects*), 18
iterator() (*pykube.query.Query method*), 23

J

Job (*class in pykube.objects*), 18
join_url_path() (*in module pykube.utils*), 23
jsonpath_parse() (*in module pykube.utils*), 23

K

kind (*pykube.objects.ClusterRole attribute*), 16
kind (*pykube.objects.ClusterRoleBinding attribute*), 16
kind (*pykube.objects.ConfigMap attribute*), 16
kind (*pykube.objects.CronJob attribute*), 17
kind (*pykube.objects.CustomResourceDefinition attribute*), 17
kind (*pykube.objects.DaemonSet attribute*), 17
kind (*pykube.objects.Deployment attribute*), 17
kind (*pykube.objects.Endpoint attribute*), 17
kind (*pykube.objects.Event attribute*), 17

kind (*pykube.objects.HorizontalPodAutoscaler attribute*), 17
kind (*pykube.objects.Ingress attribute*), 18
kind (*pykube.objects.Job attribute*), 18
kind (*pykube.objects.LimitRange attribute*), 18
kind (*pykube.objects.Namespace attribute*), 18
kind (*pykube.objects.Node attribute*), 18
kind (*pykube.objects.PersistentVolume attribute*), 19
kind (*pykube.objects.PersistentVolumeClaim attribute*), 19
kind (*pykube.objects.Pod attribute*), 19
kind (*pykube.objects.PodDisruptionBudget attribute*), 19
kind (*pykube.objects.PodSecurityPolicy attribute*), 19
kind (*pykube.objects.ReplicaSet attribute*), 19
kind (*pykube.objects.ReplicationController attribute*), 20
kind (*pykube.objects.ResourceQuota attribute*), 20
kind (*pykube.objects.Role attribute*), 20
kind (*pykube.objects.RoleBinding attribute*), 20
kind (*pykube.objects.Secret attribute*), 20
kind (*pykube.objects.Service attribute*), 20
kind (*pykube.objects.ServiceAccount attribute*), 22
kind (*pykube.objects.StatefulSet attribute*), 22
KubeConfig (*class in pykube.config*), 12
kubeconfig_file (*pykube.config.KubeConfig attribute*), 12
kubeconfig_path (*pykube.config.KubeConfig attribute*), 12
KubernetesError, 13
KubernetesHTTPAdapter (*class in pykube.http*), 14

L

labels (*pykube.objects.APIObject attribute*), 16
LimitRange (*class in pykube.objects*), 18
logs() (*pykube.objects.Pod method*), 19

M

main() (*in module pykube.console*), 13
maybe_set() (*pykube.config.BytesOrFile class method*), 12
metadata (*pykube.objects.APIObject attribute*), 16

N

name (*pykube.objects.APIObject attribute*), 16
Namespace (*class in pykube.objects*), 18
namespace (*pykube.config.KubeConfig attribute*), 12
namespace (*pykube.objects.APIObject attribute*), 16
namespace (*pykube.objects.NamespacedAPIObject attribute*), 18
NamespacedAPIObject (*class in pykube.objects*), 18
Node (*class in pykube.objects*), 18

O

`obj_check()` (*in module pykube.utils*), 23
`obj_merge()` (*in module pykube.utils*), 23
`object_factory()` (*in module pykube.objects*), 22
`object_stream()` (*pykube.query.WatchQuery method*), 23
`ObjectDoesNotExist`, 13
`ObjectManager` (*class in pykube.objects*), 18
`objects` (*pykube.objects.APIObject attribute*), 16
`options()` (*pykube.http.HTTPClient method*), 14

P

`parallelism` (*pykube.objects.Job attribute*), 18
`patch()` (*pykube.http.HTTPClient method*), 14
`patch()` (*pykube.objects.APIObject method*), 16
`persist_doc()` (*pykube.config.KubeConfig method*), 12
`PersistentVolume` (*class in pykube.objects*), 19
`PersistentVolumeClaim` (*class in pykube.objects*), 19
`Pod` (*class in pykube.objects*), 19
`PodDisruptionBudget` (*class in pykube.objects*), 19
`PodSecurityPolicy` (*class in pykube.objects*), 19
`post()` (*pykube.http.HTTPClient method*), 14
`proxy_http_delete()` (*pykube.objects.Service method*), 20
`proxy_http_get()` (*pykube.objects.Service method*), 21
`proxy_http_post()` (*pykube.objects.Service method*), 21
`proxy_http_put()` (*pykube.objects.Service method*), 21
`proxy_http_request()` (*pykube.objects.Service method*), 21
`put()` (*pykube.http.HTTPClient method*), 14
`pykube` (*module*), 23
`pykube.config` (*module*), 11
`pykube.console` (*module*), 13
`pykube.exceptions` (*module*), 13
`pykube.http` (*module*), 13
`pykube.mixins` (*module*), 15
`pykube.objects` (*module*), 15
`pykube.query` (*module*), 22
`pykube.utils` (*module*), 23
`PyKubeError`, 13

Q

`Query` (*class in pykube.query*), 22
`query_cache` (*pykube.query.Query attribute*), 23

R

`raise_for_status()` (*pykube.http.HTTPClient method*), 14

`ready` (*pykube.objects.Deployment attribute*), 17
`ready` (*pykube.objects.Pod attribute*), 19
`ready` (*pykube.objects.ReplicationController attribute*), 20
`reload()` (*pykube.config.KubeConfig method*), 12
`reload()` (*pykube.objects.APIObject method*), 16
`replicas` (*pykube.mixins.ReplicatedMixin attribute*), 15
`ReplicaSet` (*class in pykube.objects*), 19
`ReplicatedMixin` (*class in pykube.mixins*), 15
`ReplicationController` (*class in pykube.objects*), 19
`request()` (*pykube.http.HTTPClient method*), 14
`resource_list()` (*pykube.http.HTTPClient method*), 14
`ResourceQuota` (*class in pykube.objects*), 20
`response` (*pykube.query.Query attribute*), 23
`response` (*pykube.query.WatchQuery attribute*), 23
`Role` (*class in pykube.objects*), 20
`RoleBinding` (*class in pykube.objects*), 20
`rollout_undo()` (*pykube.objects.Deployment method*), 17
`rows` (*pykube.query.Table attribute*), 23

S

`scalable` (*pykube.mixins.ScalableMixin attribute*), 15
`scalable_attr` (*pykube.mixins.ReplicatedMixin attribute*), 15
`scalable_attr` (*pykube.objects.Job attribute*), 18
`ScalableMixin` (*class in pykube.mixins*), 15
`scale()` (*pykube.mixins.ScalableMixin method*), 15
`Secret` (*class in pykube.objects*), 20
`send()` (*pykube.http.KubernetesHTTPAdapter method*), 15
`Service` (*class in pykube.objects*), 20
`ServiceAccount` (*class in pykube.objects*), 21
`set_current_context()` (*pykube.config.KubeConfig method*), 12
`set_obj()` (*pykube.objects.APIObject method*), 16
`StatefulSet` (*class in pykube.objects*), 22

T

`Table` (*class in pykube.query*), 23

U

`uncordon()` (*pykube.objects.Node method*), 18
`unschedulable` (*pykube.objects.Node attribute*), 18
`update()` (*pykube.objects.APIObject method*), 16
`url` (*pykube.http.HTTPClient attribute*), 14
`user` (*pykube.config.KubeConfig attribute*), 12
`users` (*pykube.config.KubeConfig attribute*), 13

V

`version` (*pykube.http.HTTPClient attribute*), 14

version (*pykube.objects.ClusterRole attribute*), 16
version (*pykube.objects.ClusterRoleBinding attribute*), 16
version (*pykube.objects.ConfigMap attribute*), 16
version (*pykube.objects.CronJob attribute*), 17
version (*pykube.objects.CustomResourceDefinition attribute*), 17
version (*pykube.objectsDaemonSet attribute*), 17
version (*pykube.objects.Deployment attribute*), 17
version (*pykube.objects.Endpoint attribute*), 17
version (*pykube.objects.Event attribute*), 17
version (*pykube.objects.HorizontalPodAutoscaler attribute*), 18
version (*pykube.objects.Ingress attribute*), 18
version (*pykube.objects.Job attribute*), 18
version (*pykube.objects.LimitRange attribute*), 18
version (*pykube.objects.Namespace attribute*), 18
version (*pykube.objects.Node attribute*), 18
version (*pykube.objects.PersistentVolume attribute*), 19
version (*pykube.objects.PersistentVolumeClaim attribute*), 19
version (*pykube.objects.Pod attribute*), 19
version (*pykube.objects.PodDisruptionBudget attribute*), 19
version (*pykube.objects.PodSecurityPolicy attribute*), 19
version (*pykube.objects.ReplicaSet attribute*), 19
version (*pykube.objects.ReplicationController attribute*), 20
version (*pykube.objects.ResourceQuota attribute*), 20
version (*pykube.objects.Role attribute*), 20
version (*pykube.objects.RoleBinding attribute*), 20
version (*pykube.objects.Secret attribute*), 20
version (*pykube.objects.Service attribute*), 21
version (*pykube.objects.ServiceAccount attribute*), 22
version (*pykube.objects.StatefulSet attribute*), 22

W

watch () (*pykube.objects.APIObject method*), 16
watch () (*pykube.query.Query method*), 23
WatchQuery (*class in pykube.query*), 23